

March 1, 2015

## **Snowpack in Middle Park about Normal**

The USDA Natural Resources Conservation Service (NRCS) Kremmling Field Office snow surveyors Mark Volt and Vance Fulton took the March 1<sup>st</sup>. snow survey measurements during the last days of February.....And even with the recent warm weather, the survey shows that we are in pretty good shape!

Snowpack in the high elevation mountains above Middle Park now ranges from 78% to 128% of the 30-year average, with the overall average for Middle Park at 102%. Last year at this time we were at 141% of average. Snow density is averaging 25%, which means that for one foot of snow there is 3.0 inches of water, which is pretty normal for March 1<sup>st</sup>. Lower elevation/valley snowpack appears to be suffering.

Reported readings for the major river basins in Colorado are as follows: Colorado River Basin 94%; Gunnison River Basin, 81%; South Platte River Basin, 108%; Yampa and White River Basins, 80%; Arkansas River Basin, 103%; Upper Rio Grande Basin, 88%; San Miguel, Dolores, Animas, and San Juan River Basins 72%; and the Laramie and North Platte River Basins, 90% of average for this time of year.

Most of the snow courses around Middle Park have been read since the 1940s. Snow course readings are taken at the end of each month, beginning in January and continuing through April. March is historically the snowiest month, and the April 1 readings are the most critical for predicting runoff and summer water supplies, as most of our high country snowpack peaks around that time.

For further information, including real-time snow and precipitation data for SNOTEL (automated Snow Telemetry) sites, visit <http://www.co.nrcs.usda.gov/snow/index.html>.



Helping People Help the Land

An Equal Opportunity Provider and Employer

# NEWS RELEASE

## NRCS Kremmling Field Office snow survey for March 1, 2015, compared to long-term average.

Snow course or SNOTEL (SC or ST)	Last year		This year		30-year average (1971 - 2000)		Percent of average	
	Snow depth	Moisture content	Snow depth	Moisture content	Snow depth	Moisture content	Snow depth	Moisture content
	------(inches)-----						------(%)-----	
Arapaho Ridge ST		21.6		14.4		16.8		86%
Berthoud Summit ST		19.5		15.4		14.1		109%
Buffalo Park ST		17.1		12.0		9.4		128%
Columbine ST		29.9		17.2		19.1		86%
Copper Mountain ST		16.8		12.6		11.1		114%
Corral Creek SC	54	15.8	38	9.4	48	11.2	79%	84%
Elliot Ridge ST		17.5		12.3		<i>New site</i>		<i>New site</i>
Fremont Pass ST		15.3		14.6		11.9		123%
Gore Pass SC	46	12.6	34	8.2	34	8.6	100%	95%
Granby SC	42	12.4	31	6.0	26	6.5	119%	92%
Grizzly Peak ST		18.8		14.3		13.3		108%
Jones Pass ST		13.8		12.3		9.8		126%
Lake Irene ST		24.4		18.3		19.5		94%
Lynx Pass ST		11.3		9.2		8.9		103%
Middle Fork Camp SC	39	11.2	37	8.3	36	8.7	103%	95%
Phantom Valley ST		10.2		8.4		8.3		101%
Stillwater Creek ST		9.9		7.0		6.8		103%
Summit Ranch ST		10		8.9		8.7		102%
Willow Creek Pass SC	43	10.7	35	8.0	41	10.3	85%	78%
<i>Average for Middle Park</i>								<b>102%</b>

# NEWS RELEASE

## NRCS Kremmling Field Office snow survey March 1 moisture content records.

Snow course or SNOTEL (SC or ST)	<u>Highest March. 1 moisture content</u>			<u>Lowest March. 1 moisture content</u>		
	(inches)	(%)	(year)	(inches)	(%)	(year)
Arapaho Ridge ST (read since 2003)	23.5	125%	2006	12.8	68%	2010
Berthoud Summit ST	20.3	142%	1996	7.5	52%	1981
Buffalo Park ST (read since 1996)	17.1	188%	2014	6.6	61%	2002
Columbine ST	40.1	183%	1984	8.2	37%	1981
Copper Mountain ST	18.9	169%	1996	4.8	43%	1981
Corral Creek SC (read since 1995)	18.0	137%	1997	6.6	50%	2010
Fremont Pass ST	18.8	146%	2006	6.4	50%	1981
Gore Pass SC	14.3	155%	1962	2.6	28%	1981
Granby SC ( <i>NEW RECORD HIGH</i> )	12.4	194%	2014	1.8	28%	1981
Grizzly Peak ST	23.7	173%	1996	6.1	45%	1981
Jones Pass ST (read since 2000)	18.1	141%	2006	8.5	66%	2010
Lake Irene ST	32.3	154%	1956	7.1	34%	1977
Lynx Pass ST	17.5	172%	1962	2.8	27%	1981
Middle Fork Campground SC	13.9	160%	1996	3.0	34%	1981
Phantom Valley ST	12.0	143%	1996	3.4	40%	1977
Stillwater Creek ST (read since 1986)	11.4	158%	1997	2.9	40%	1981
Summit Ranch ST	15.4	181%	1996	5.0	59%	1981
Willow Creek Pass SC	20.4	192%	1952	3.8	36%	1977